Home > Resources > Topics & Dolkits > Boil Water Advisory

Boil Water Advisory

Overview | Resources | Fact Sheets & Differentiation | Overview

A boil-water advisory is a public health announcement that the public should boil tap water before drinking it. When issued, the public should assume the water is unsafe to drink.

During a boil-water advisory, water should not be delivered to patients through the dental unit, ultrasonic scaler, or other dental equipment that uses the public water system. This restriction does not apply if the water source is isolated from the municipal water system (e.g., a separate water reservoir or other water treatment device cleared for marketing by FDA). Patients should rinse with bottled or distilled water until the boil-water advisory has been cancelled. During these advisory periods, tap water should not be used to dilute germicides or for hand hygiene unless the water has been brought to a rolling boil for >1 minute and cooled before use. For hand hygiene, antimicrobial products that do not require water (e.g., alcohol-based hand rubs) can be used until the boil-water notice is cancelled. If hands are visibly contaminated, bottled water and soap should be used for handwashing; if bottled water is not immediately available, an antiseptic towelette should be used. Source: CDC

Resources

Centers for Disease Control and Prevention (CDC)

- 2003 Dental Infection Control Guidelines Boil Water Advisories
- Dental offices during a boil-water advisory

Organization for Safety, Asepsis and Prevention (OSAP)

Dental Do's and Don'ts

Environmental Protection Agency (EPA)

- Emergency Disinfection of Drinking Water

- Spanish Translation
- **Current Drinking Water Regulations**
- Notification Tiers
- The Public Notification Rule: A Quick Reference Guide

World Health Organization (WHO)

Guidelines for drinking-water quality, 4th edition: 1st addendum

Fact Sheets & Information

Centers for Disease Control and Prevention (CDC)

Drinking Water Frequently Asked Questions (FAQs)

Back To Top